



WHITE FEET TILE


The Cool Roof Tile Expert...



WHITE FEET TILE

ISO 9001:2015

The Ceramic Cool Roof Tiles Expert...



WHITE FEET - CERAMIC COOL ROOF TILES

HEAT RESISTANT | WATER PROOF | ANTI-SKID | WASH PROOF

LIGHT WEIGHT | LOW COST | SAVES ELECTRICITY



WHITE FEET TILE

The Cool Roof Tiles Expert...




“ ENGAGE THE EVEREST
ON TOP OF YOUR
ROOF AND TERRACE ”





WHITE FEET TILE

The Cool Roof Tile Expert...



Cool Roof Tiles
300x300 mm

Glossy Finish
9 MM
Thickness
BOX - 10 pcs

Roof-71





WHITE FEET TILE

The Cool Roof Tile Expert...



Cool Roof Tiles
300x300 mm


Glossy Finish
9 MM
Thickness
BOX - 10 pcs

Roof-01



WHITE FEET TILE


The Cool Roof Tile Expert...



Cool Roof Tiles
300x300 mm

Glossy Finish
9 MM
Thickness
BOX - 10 pcs

Roof-104





WHITE FEET TILE

The Cool Roof Tile Expert...



Cool Roof Tiles
300x300 mm


Matt Finish
9 MM
Thickness
BOX - 10 pcs

Plain White



WHITE FEET TILE


The Cool Roof Tile Expert...



Cool Roof Tiles
300x300 mm

Glossy Finish
10 MM
Thickness
BOX - 10 pcs

Roof-15





WHITE FEET TILE






The Cool Roof Tile Expert...

Cool Roof Tiles
300x300 mm

Sugar Finish
10 MM
Thickness

BOX - 9 pcs


Roof-49





WHITE FEET TILE

The Cool Roof Tile Expert...



Cool Roof Tiles

300x300 mm


Matt Finish

10 MM

Thickness

BOX - 9 pcs


Roof-61





WHITE FEET TILE


The Cool Roof Tile Expert...



Cool Roof Tiles
300x300 mm

Sugar Finish
10 MM
Thickness
BOX - 9 pcs

Roof-72



4 Random

WHITE FEET TILE

The Cool Roof Tile Expert...



Laying Instructions for Cool Roof Tiles

- 1) Prepare base mortar with cement and sand in the ratio 1:4 along with waterproofing chemicals.
- 2) The total mortar thickness should not be more than 25mm.
- 3) Prepare cement slurry as thick paste to spread on the mortar.
- 4) Use a 4mm spacer in between tiles.
- 5) Do not use a hammer for laying.
- 6) Fill the joints with white whitefeet waterproofing grouting Materials.
- 7) Do not use the layed area for 48 hours.

Google

Reviews

Customer Rating



WHITE FEET TILE

ISO 9001:2015

The Cool Roof Tiles Expert...

Factory/ Office :

No:350/ 1, Kundrathur Main Road,
Kovur, Chennai-600122



whitefeettile@gmail.com



www.whitefeettile.in,
www.whitefeet.in



@WhiteFeetCoolRoofTiles



facebook.com/CoolRoofTiles/



instagram.com/cool_roof_tiles/



CONTACT: +91 98845-20001

WHITE FEET, 150/1E, 1st floor, Kundrathur Main Rd, near MADHA
MEDICAL COLLEGE, Kovur, Chennai, Tamil Nadu 600128